

PRODUCT SPECIFICATION

DESIGNER: Moritz Waldemeyer
YEAR OF DESIGN: 2016
Glass: Hand Blown Artistic Glass



As if trying to systematize the chandelier-making tradition, Moritz Waldemeyer took the geometrical shape of the Classic chandelier outline and turned it into a diamond-like hexagonal glass building block. On its own, with just single pendant, or in combination of multiple items into a large chandelier, the FACET components stand out as clear, disciplined and geometrical. The light source included inside every pendant allows the FACET to be universal and almost unlimitedly extendable.

PACKAGING

Facet 7

Size: 640 × 605 × 255 cm
Pallet: 120 × 80 × 36 cm
Total weight: 25 kg

Facet 37

Size: 3 × 640 × 605 × 255 cm
Pallet: 120 × 80 × 78 cm
Total weight: 100 kg

Facet 19

Size: 2 × 640 × 605 × 255 cm
Pallet: 120 × 80 × 52 cm
Total weight: 50 kg

PRODUCT SPECIFICATION

TECHNICAL DETAILS FACET 7

Type	CE	UL
<i>Light Source</i>	<i>7 xLED G4. 2W. 2700k 200 Lumens CRI 80</i>	<i>7 xLED G4, EA 2,5W 2700k, 230 Lumens CRI 80</i>
<i>Input voltage</i>	<i>230VAC</i>	<i>110AC</i>
<i>Rated Power</i>	<i>14W</i>	<i>17,5W</i>
<i>Ballast</i>	<i>Trailing edge</i>	
<i>Metal Finish</i>	<i>Matt white RAL 9010</i>	
<i>Wire Length</i>	<i>Min. 1000mm until 3000mm/39 3/7" – 118 1/8"</i>	
<i>Prot. rating</i>	<i>IP 20</i>	
<i>Safety class</i>	<i>CLASS I</i>	



TECHNICAL DETAILS FACET 19

Type	CE	UL
<i>Light Source</i>	<i>19 xLED G4. 2W. 2700k 200 Lumens CRI 80</i>	<i>19 xLED G4, EA 2,5W 2700k, 230 Lumens CRI 80</i>
<i>Input voltage</i>	<i>230VAC</i>	<i>110AC</i>
<i>Rated Power</i>	<i>37W</i>	<i>47,5W</i>
<i>Ballast</i>	<i>Trailing edge</i>	
<i>Metal Finish</i>	<i>Matt white RAL 9010</i>	
<i>Wire Length</i>	<i>Min. 1000mm until 3000mm/39 3/7" – 118 1/8"</i>	
<i>Prot. rating</i>	<i>IP 20</i>	
<i>Safety class</i>	<i>CLASS I</i>	



PRODUCT SPECIFICATION



TECHNICAL DETAILS FACET 37


<i>Type</i>	<i>CE</i>	<i>UL</i>
<i>Light Source</i>	37 xLED G4. 2W. 2700k 200 Lumens CRI 80	37 xLED G4, EA 2,5W 2700k, 230 Lumens CRI 80
<i>Input voltage</i>	230VAC	110AC
<i>Rated Power</i>	74W	92,5W
<i>Ballast</i>	Trailing edge	
<i>Metal Finish</i>	Matt white RAL 9010	
<i>Wire Length</i>	Min. 1000mm until 3000mm/39 3/7" – 118 1/8"	
<i>Prot. rating</i>	IP 20	
<i>Safety class</i>	CLASS I	

PRODUCT SPECIFICATION

Facet 7

Facet 19

Facet 37



NAME	W/Dia (mm/inch)	H(mm/inch)	Dia (mm/inch)	V (mm/inch)
Facet 7	539/21 ¼"	518/20 3/8"	225/ 8 7"	66/31 ½"
Facet 19	895/ 35 ¼"	830/32 5/8" OH 1000/39 3/8"	250/9 7"	72/2 13/16"
Facet 37	1225/ 48 ¼"	1105/ 43 ½" OH 1200/ 47 1/6"	1270/50"	89 / 3 ½"

**EACH LASVIT COLLECTION IS UNIQUE BECAUSE IT IS COMPLETELY HANDCRAFTED.
TINY BUBBLES AND OTHER IRREGULARITIES MAY OCCUR DUE TO THE NATURE
OF THE HIGH QUALITY GLASS-BLOWING TECHNIQUE**