

DATASHEET

Type: **DOME**
Name: Pendant light
ID: PC1346
Designed by: LCM MARIN design studio



Download

Description

A nod to classical Roman architecture, the new Dome collection of pendant and table lights follows the success of Dome Nomad, an earlier collection inspired by the great domes of Venice and evoking the eternity and expansiveness of the celestial vault. The elegant shade, comprising multiple layers of molten glass, each carefully inspected by the master glassmaker prior to blowing, comes in either smooth or wavy clear glass.




Tech. description

The luminaire consists of a glass shade, metal frame with integrated LED module, metal printout on the lower edge of the screen, supply cable and steel cable. The luminaire is suspended from the ceiling canopy by means of a supporting steel cable.

CONSTRUCTION SPECIFICATION

Weight: 6.1 kg
Construction material: glass, metal
Cord length [mm]: 2,200 mm
Mounting: Ceiling
Environment: Indoor

DIMENSIONS [mm]



ELECTRICAL SPECIFICATION

Input voltage [V]: 100 - 240 V
Frequency [Hz]: 50-60 Hz
Max. power [W]: 17,5 W

CERTIFICATIONS



Coverage IP: 20
Socket: LED module
Light source: -
Energy class: E

D LED SOURCE



[Download](#)

CM17866

Type LED module
Lamp wattage [W] 15 W
Input voltage [V] 24 VDC
Energy class E
Flux [lm] 1617 lm
Light colour [K] 2700 K
CRI 90
Dimmable yes

CM17914

Type LED module
Lamp wattage [W] 15 W
Input voltage [V] 24 VDC
Energy class E
Flux [lm] 1099-1782 lm
Light colour [K] 1800-6500 K
CRI 90
Dimmable yes

DATASHEET


FIXING




Download

INNER FIXTURE


Dimensions O x w [mm] 202 x 60 mm
Weight [kg] 1.15 kg
Material metal



Drawing



Hole placement



DATASHEET

Type: **DOME**
Name: Pendant light
ID: PC1347
Designed by: LCM MARIN design studio



Download

Description

A nod to classical Roman architecture, the new Dome collection of pendant and table lights follows the success of Dome Nomad, an earlier collection inspired by the great domes of Venice and evoking the eternity and expansiveness of the celestial vault. The elegant shade, comprising multiple layers of molten glass, each carefully inspected by the master glassmaker prior to blowing, comes in either smooth or wavy clear glass.




Tech. description

The luminaire consists of a glass shade, metal frame with integrated LED module, metal printout on the lower edge of the screen, supply cable and steel cable. The luminaire is suspended from the ceiling canopy by means of a supporting steel cable.

CONSTRUCTION SPECIFICATION

Weight: 6.8 kg
Construction material: glass, metal
Cord length [mm]: 2,200 mm
Mounting: Ceiling
Environment: Indoor

DIMENSIONS [mm]



ELECTRICAL SPECIFICATION

Input voltage [V]: 100 - 240 V
Frequency [Hz]: 50-60 Hz
Max. power [W]: 17,5 W

CERTIFICATIONS



Coverage IP: 20
Socket: LED module
Light source: -
Energy class: E

D LED SOURCE



[Download](#)

CM17866

Type LED module
Lamp wattage [W] 15 W
Input voltage [V] 24 VDC
Energy class E
Flux [lm] 1617 lm
Light colour [K] 2700 K
CRI 90
Dimmable yes

CM17914

Type LED module
Lamp wattage [W] 15 W
Input voltage [V] 24 VDC
Energy class E
Flux [lm] 1099-1782 lm
Light colour [K] 1800-6500 K
CRI 90
Dimmable yes

DATASHEET


FIXING




Download

INNER FIXTURE


Dimensions O x w [mm] 202 x 60 mm
Weight [kg] 1.15 kg
Material metal



Drawing



Hole placement



DATASHEET

Type: **DOME**
Name: Pendant light
ID: PC1348
Designed by: LCM MARIN design studio



Download

Description

A nod to classical Roman architecture, the new Dome collection of pendant and table lights follows the success of Dome Nomad, an earlier collection inspired by the great domes of Venice and evoking the eternity and expansiveness of the celestial vault. The elegant shade, comprising multiple layers of molten glass, each carefully inspected by the master glassmaker prior to blowing, comes in either smooth or wavy clear glass.




Tech. description

The luminaire consists of a glass shade, metal frame with integrated LED module, metal printout on the lower edge of the screen, supply cable and steel cable. The luminaire is suspended from the ceiling canopy by means of a supporting steel cable.

CONSTRUCTION SPECIFICATION

Weight: 7.1 kg
Construction material: glass, metal
Cord length [mm]: 2,200 mm
Mounting: Ceiling
Environment: Indoor

DIMENSIONS [mm]



ELECTRICAL SPECIFICATION

Input voltage [V]: 100 - 240 V
Frequency [Hz]: 50-60 Hz
Max. power [W]: 17,5 W

CERTIFICATIONS



Coverage IP: 20
Socket: LED module
Light source: -
Energy class: E

D LED SOURCE



Download

CM17866

Type LED module
Lamp wattage [W] 15 W
Input voltage [V] 24 VDC
Energy class E
Flux [lm] 1617 lm
Light colour [K] 2700 K
CRI 90
Dimmable yes

CM17914

Type LED module
Lamp wattage [W] 15 W
Input voltage [V] 24 VDC
Energy class E
Flux [lm] 1099-1782 lm
Light colour [K] 1800-6500 K
CRI 90
Dimmable yes

DATASHEET


FIXING




Download

INNER FIXTURE

Dimensions O x w [mm] 202 x 60 mm
Weight [kg] 1.15 kg
Material metal



Drawing



Hole placement

