



Offset

1720

Design By Xuclà

The versatile Offset model 1720, conceived for highlighting with a single light-point, can be easily integrated within any space thanks to its simple surface installation. With the option of combining several units that allows for a range of creative options for designing unique ceiling compositions.

Spec sheet



Any modifications require a minimum order quantity and extra lead time

Finish

11 Black
NCS S 8500-N

24 Beige M1
NCS S 2005-Y50R

23 Warm White
NCS S 0502-Y50R

LED

2700 K / 3000 K / 3500 K

Dimming

TRIAC / 0-10V

DALI or Casambi / DALI or Casambi

Installation type

Surface

LED

CRI>90 285 lm 98.3
2700 K / 3000 K / 3500 K

Driver

Constant Current 250 100~240 V V
50~60 Hz HZ



Application

Ceiling Fixtures

Packaging


Box

Gross weight
Net weight



Lighting effect

Accent Downlight

Narrow: Angles less than 20°. Suitable for generating high contrasts or projections at far distances.



Photometric Data



Efficiency 75.909 lm/W
Coordination System CG
Total Flux 351.0 lm
Maximum Value 351.0 lm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

Office / Oficina

272 Fernwood Ave. Edison, NJ 08837. USA

International T 732 417 1700

Spain / Portugal T +34 934 796 970

sales@vibia.com

www.vibia.com/us/usa




Offset

1722

Design By Xuclà

The Offset 1722 ceiling model with its two accent light points can be elegantly integrated with any space thanks to its simple surface installation. The versatility is increased by combining several units, offering a vast range of creative possibilities for creating exclusive ceiling compositions. This is made possible by the solid aluminum casing that guarantees durability and a refined aesthetic.

Spec sheet



Any modifications require a minimum order quantity and extra lead time

Finish

23 Warm White
NCS S 0502-Y50R

11 Black
NCS S 8500-N

24 Beige M1
NCS S 2005-Y50R

LED

2700 K / 3000 K / 3500 K

Dimming

0-10V / TRIAC

Installation type

Surface

LED

CRI>90 855 lm 98,3
2700 K / 3000 K / 3500 K

Driver

Constant Current 500 100~240 V V
50~60 Hz HZ



Application

Ceiling Fixtures

Packaging


Box

Gross weight
Net weight



Lighting effect

Accent Downlight

Narrow: Angles less than 20°. Suitable for generating high contrasts or projections at far distances.



Photometric Data



Efficiency

79.773 lm/W

Coordination System

CG

Total Flux

1053.0 lm

Maximum Value

1053.0 lm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

Office / Oficina

272 Fernwood Ave. Edison, NJ 08837. USA

International T 732 417 1700

Spain / Portugal T +34 934 796 970

sales@vibia.com

www.vibia.com/us/usa

Offset



1725

VIBIA





Design By Xuclà

The Offset 1725 ceiling light, characterised by its double accent light points, manages to integrate within any space in a balanced way thanks to its simple surface installation. Its versatility is increased by combining several units, providing a wide range of creative options for designing unique contemporary compositions for ceilings. This is made possible by the solid aluminum casing that provides durability and an attractive angular design.

Spec sheet




Any modifications require a minimum order quantity and extra lead time

Finish	 24 Beige M1 NCS S 2005-Y50R
	 23 Warm White NCS S 0502-Y50R
	 11 Black NCS S 8500-N
LED	2700 K / 3000 K / 3500 K
Dimming	TRIAC / 0-10V
Installation type	Surface
LED	CRI>90 570 lm 98.3 2700 K / 3000 K / 3500 K
Driver	Constant Current 500 100-240 V V 50-60 Hz HZ 
Application	Ceiling Fixtures
Packaging	Box Gross weight Net weight



Lighting effect

Accent Downlight

Narrow: Angles less than 20°. Suitable for generating high contrasts or projections at far distances.



Photometric Data



Efficiency	79.773 lm/W
Coordination System	CG
Total Flux	702.0 lm
Maximum Value	702.0 lm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

Office / Oficina
272 Fernwood Ave. Edison, NJ 08837. USA

International T 732 417 1700
Spain / Portugal T +34 934 796 970

sales@vibia.com
www.vibia.com/us/usa

Offset



1727

VIBIA





Design By Xuclà

The Offset 1727 ceiling light, characterised by its double accent light points, manages to integrate within any space in a balanced way thanks to its simple surface installation. Its versatility is increased by combining several units, providing a wide range of creative options for designing unique contemporary compositions for ceilings. This is made possible by the solid aluminum casing that provides durability and an attractive angular design.

Spec sheet




Any modifications require a minimum order quantity and extra lead time

Finish	 23 Warm White NCS S 0502-Y50R
	 11 Black NCS S 8500-N
	 24 Beige M1 NCS S 2005-Y50R
LED	2700 K / 3000 K / 3500 K
Dimming	TRIAC / 0-10V
Installation type	Surface
LED	CRI>90 570 lm 98.3 2700 K / 3000 K / 3500 K
Driver	Constant Current 500 100~240 V V 50~60 Hz HZ
	
Application	Ceiling Fixtures
Packaging	Box
	Gross weight Net weight



Lighting effect

Accent Downlight

Narrow: Angles less than 20°. Suitable for generating high contrasts or projections at far distances.



Photometric Data



Efficiency	79.773 lm/W
Coordination System	CG
Total Flux	702.0 lm
Maximum Value	702.0 lm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

Office / Oficina
272 Fernwood Ave. Edison, NJ 08837. USA

International T 732 417 1700
Spain / Portugal T +34 934 796 970

sales@vibia.com
www.vibia.com/us/usa

Offset



1735

VIBIA

Design By Xuclà

With its linear design and easy surface installation, the Offset 1735 ceiling light with High Comfort diffuser adds to any setting, creating relaxed ambiances through even and uniform illumination. Its hard-wearing aluminum casing accommodates high-performance LED strips. This versatile fitting provides different static lighting options, in addition to dynamic White, allowing for greater flexibility to customize spaces.

Spec sheet




Any modifications require a minimum order quantity and extra lead time

Finish	11 Black NCS S 8500-N
	24 Beige M1 NCS S 2005-Y50R
	23 Warm White NCS S 0502-Y50R
LED	2700 K / 3000 K / 3500 K / Tunable White
Dimming	0-10V / DALI
Installation type	Surface
LED	CRI>90 5022 lm 122.63 2700 K / 3000 K / 3500 K / Tunable White
Driver	Constant Current 650 100~240 V V 50~60 Hz HZ
Application	Ceiling Fixtures
Packaging	Box
	Gross weight Net weight



Lighting effect

Linear High Comfort

Linear lighting applications with High lighting and comfort levels (UGR <19) for illumination in close



Photometric Data



Efficiency	41.985 lm/W
Coordination System	CG
Total Flux	1713.0 lm
Maximum Value	1713.0 lm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

Office / Oficina
272 Fernwood Ave. Edison, NJ 08837. USA

International T 732 417 1700
Spain / Portugal T +34 934 796 970

sales@vibia.com
www.vibia.com/us/usa

Offset



1740

VIBIA

Design By Xuclà

With its angular design and simple ceiling installation the Offset 1740 ceiling light with High Comfort diffuser adds to any space, creating relaxed ambiances through even and uniform illumination. Its hard-wearing aluminum casing accommodates high-performance LED strips. This versatile fitting provides different static lighting options, in addition to dynamic White, allowing for greater flexibility to customize spaces.

Spec sheet



Any modifications require a minimum order quantity and extra lead time

Finish

- 23 Warm White
NCS S 0502-Y50R
- 11 Black
NCS S 8500-N
- 24 Beige M1
NCS S 2005-Y50R

LED

2700 K / 3000 K / 3500 K / Tunable White

Dimming

DALI / 0-10V

Installation type

Surface

LED

CRI>90 1674 lm 122.63
2700 K / 3000 K / 3500 K / Tunable White

Driver

Constant Current 650 100~240 V V
50~60 Hz HZ



Application

Ceiling Fixtures

Packaging


Box

Gross weight
Net weight



Lighting effect

Linear High Comfort

Linear lighting applications with High lighting and comfort levels (UGR <19) for illumination in close



Photometric Data



Efficiency

41.985 lm/W

Coordination System

CG

Total Flux

571.0 lm

Maximum Value

571.0 lm

All of our products come with a two year standard warranty. Check US & Canada Term and Condition sales@vibia.com

VIBIA, INC.

Office / Oficina

272 Fernwood Ave. Edison, NJ 08837. USA

International T 732 417 1700

Spain / Portugal T +34 934 796 970

sales@vibia.com

www.vibia.com/us/usa

Offset



1755

VIBIA






Design By Xuclà

The Offset 1755 model stands out thanks to its linear design and simple surface installation. This versatile fitting provides different static lighting options, in addition to Tunable White, allowing for greater flexibility to customize spaces according to project requirements. In addition, the flat diffuser ensures a uniform lighting diffusion, ensuring a relaxing and comfortable ambiance.

Spec sheet



Any modifications require a minimum order quantity and extra lead time

Finish	 11 Black NCS S 8500-N
	 23 Warm White NCS S 0502-Y50R
	 24 Beige M1 NCS S 2005-Y50R
LED	2700 K / 3000 K / 3500 K / Tunable White
Dimming	DALI / 0-10V
Installation type	Surface
LED	CRI>90 2544 lm 123 2700 K / 3000 K / 3500 K / Tunable White
Driver	Constant Voltage 220~240 V V 50~60 Hz HZ
	LED IP20  50-60Hz 
Application	Ceiling Fixtures
Packaging	Box
	Gross weight Net weight

Lighting effect

Linear

Linear lighting applications for functional and graphic illumination

