

## **LONG DROPS**

### 7 WHITE & BLACK PENDANTS RECTANGULAR CHANDELIER







#### DESCRIPTION

A modern and sleek multi-pendant light fixture comprising of four hand-made glass leaves encasing a dimmable LED bulb. Ideal for your kitchen island, reception, dining, bar, study area or any space that requires bright LED Dimmable lighting.

#### **TECHINCAL SPECIFICATIONS**

#### Designed by

AM Studio Team

#### Category

1'- 0"

Pendant Chandelier

#### Canopy Finish

Powder coated metal in Flat White/ Sparkle Silver

#### Canopy Size

36"L x 12"W x 1.5"H

#### **Pendant Colour**

4 units of White 3 units of Black

#### Pendant Size

3"W x 3"D x 16"H

#### **Total Drop**

5'H + 2' extra wire for adjustment

#### Bulb

MR16 LED - 12V

#### Recommended Dimming Switch

Lutron CTCL-153PD Lutron Pro

#### Transformer:

Magnitude E60R12DC - 60W 12VDC - Dimmable - Class 2 LED Driver Input: 120V Output: 12V

#### Electrical Outlet needed: 1

#### Approx. Weight

18 kg

#### Catalogue # LD-7WB-36R

**Note:** Due to the nature of our handmade work, there may be slight variances in glass colour. AM Studio light fixtues are made to order, handmade and created in Toronto, Canada.







STUDIO

CUSTOM LIGHTING


UL Listed


CSA Certified

C3/1 Certified










x2 Button Head Screws

LONG DROPS - GLASS (See instructions page 3)




Separate (A) from (B)

-----



Connect electrical wire to the power

# LONG DROPS Assembly Guide



Mount  $\triangle$  to the ceiling.

Note: When mounting be sure to locate and mount  $(\triangle)$  to a joist/celing beam

If you cannot do so, be sure to use drywall screws and anchors, drill additional holes for mounting for better support


5.

Test lights by turning on power



Make sure bulb is not touching the glass!

Turn off power after testing




Use support rods  $\bigcirc$  provided to hang  $\bigcirc$  off of  $\bigcirc$ 

Complete attachment with button head screws ( )


6. A

Remove rods © and attach 🕒 to 🛆 with the button head screws 🔘





Attach the 2 narrow (2" wide) glass pannels first 
Pannel should hang freely, do not over-tighten



Attach the 2 wide (3" wide) glass pannels **Pannel should hang freely, do not over-tighten**Make sure the glossy side is facing outwards



1



• Dust the cord/rope/chain with a duster.

2



 Hold the glass pendant/light fixture and gently wipe with a duster or microfiber cloth to remove dust.

5





For spot cleaning, use any good glass cleaner and a microfiber cloth.
 Do NOT spray directly onto the light fixture/ glass

4.



• Finish by gently wiping down the pendant with a soft, dry microfibre cloth.

