

GLITTERS LAMP AND SCONCES

PRODUCT SPECIFICATION

DESIGNER: Gabriela Nahlikova

Glass: Hand Blown Technical Glass

This clear “pleated” lampshades with right angle cranked legs stand in contrast with the ornamental composition of shadows that appear on the walls after you switch on the light. The classical design together with an optical projection merges into a “romantic functionalism”. The reflections of the light on the sharp-cut edges of glass and shadows, are creating an outstanding atmosphere and sophisticated mood of an interior. The shadow and light create an optical illusion. Light along with the translucent texture of the glass and striking expressiveness create a play between light and shadow.



TECHNICAL DETAILS GLITTERS FLOOR LAMP

<i>Type</i>	<i>CE</i>	<i>UL</i>
<i>Light Source</i>	<i>1x LED E14, 4W, 2600k Lm360 CRI 90 Dimmable</i>	<i>1x LED E12, 5w 3000k Lm 500 CRI 80 Dimmable</i>
<i>Input voltage</i>	<i>220-240 VAC, 60HZ</i>	<i>100-130V AC,60 HZ</i>
<i>Rated Power</i>	<i>4W</i>	<i>5w</i>
<i>Cord Color</i>	<i>Coaxial cable 2 x 0,75 mm 2 silicone, braiding tinned</i>	
<i>Cord Length</i>	<i>3500mm/137, longer cord is available, contact your sale person</i>	
<i>Canopy Color</i>	<i>Stainless Steel</i>	
<i>Prot. rating</i>	<i>IP 20</i>	
<i>Safety class</i>	<i>CLASS II</i>	



TECHNICAL DETAILS GLITTERS TABLE LAMP

Type	CE	UL
Light Source	1x LED E14, 4W, 2600k Lm360 CRI 90 Dimmable	1x LED E12, 5w 3000k Lm 500 CRI 80 Dimmable
Input voltage	220-240 VAC, 60HZ	100-130V AC,60 HZ
Rated Power	4W	5w
Cord Color	Coaxial cable 2 x 0,75 mm 2 silicone, braiding tinned	
Cord Length	3500mm/137, longer cord is available, contact your sale person	
Canopy Color	Brushed Stainless Steel	
Prot. rating	IP 20	
Safety class	CLASS I	



TECHNICAL DETAILS GLITTERS WALL SCONE

Type	CE	UL
Light source	1x LED E14, 4W 2600K Lm 360 CRI 90 dimmable	1x LED E12, 5W, 3000K Lm 500 CRI 80 dimmable
Input voltage	220-240 VAC, 60HZ	100-130V/60 HZ
Rated Power	4W	5w
Cord length	300mm/8", longer cord is available, contact your sale person	
Canopy color	Brushed stainless steel	
Prot. rating	IP 20	
Safety class	CLASS I	





GLITTERS LAMP AND SCONCES

PRODUCT SPECIFICATION

Table lamp B

Wall sconce

Floor lamp



Name	Dia (mm/inch)	H (mm/inch)	Z (mm/inch)	V (mm/inch)
Table lamp B	230/9 $\frac{1}{16}$ "	390/15 $\frac{3}{8}$ "	-	-
Wall sconce	L 230/9 $\frac{1}{16}$ "	W 200/7 $\frac{7}{8}$ " H 370/14 $\frac{9}{16}$ "	140/5 $\frac{1}{2}$ "	26,5/1"
Floor lamp	310/12 $\frac{3}{16}$ "	1400/55 $\frac{5}{8}$ "	-	-