

DATASHEET

Name:
Type:
Designed by:

MUFFINS
Pendant Light
Lucie Koldova & Dan Yeffet



DESCRIPTION


The timeless Muffins collection represents an extraordinary lighting experience. Since its market debut, it has taken on an iconic status and become a symbol of the Brokis brand. The sublimity of the design lies in the masterful combination of delicately contoured glass and solid wood.

TECH. DESCRIPTION


The lamp consists of a solid wooden base, which houses the bulb socket, and a glass shade.



CERTIFICATES



Product ID: PC851



Product ID: PC856

CONSTRUCTION SPECIFICATIONS

Weight: 7 kg
Construction material: Glass, metal, wood
Cord Length: 2,900 mm
Mounting: Ceiling
Environment: Indoor


Weight: 6 kg
Construction material: Glass, metal, wood
Cord Length: 2,900 mm
Mounting: Ceiling
Environment: Indoor

ELECTRICAL SPECIFICATIONS

Input voltage [V]: 230 V
Frequency [Hz]: 50-60 Hz
Max. power [W]: 60 W
Coverage IP: 20
Socket: E27
Light source: -
Energy class: A+ to E depending on light source

Input voltage [V]: 230 V
Frequency [Hz]: 50-60 Hz
Max. power [W]: 60 W
Coverage IP: 20
Socket: E27
Light source: -
Energy class: A+ to E depending on light source





Product ID: PC986

CONSTRUCTION SPECIFICATIONS

Weight:	6 kg
Construction material:	Glass, metal, wood
Cord Length:	2,900 mm
Mounting:	Ceiling
Environment:	Indoor

ELECTRICAL SPECIFICATIONS

Input voltage [V]:	230 V
Frequency [Hz]:	50-60 Hz
Max. power [W]:	60 W
Coverage IP:	20
Socket:	E14
Light source:	-
Energy class:	A+ to E depending on light source

LED SOURCE - PC851, PC856

Socket	E27
Type	LED filament
Lamp wattage [W]	6 W
Input voltage [V]	220-240 VAC
Energy class	A
Flux [lm]	350 lm
Light colour [K]	2200K
CRI	90+
Lifespan [h]	20,000 hr
Dimmable	yes
Dimensions h x w [mm]	145 x 65 mm



Bulb Filament 6W 350lm 220-240V Segula Muffins E27

LED SOURCE - PC986


Socket	E14
Type	LED filament
Lamp wattage [W]	4.7 W
Input voltage [V]	220-240 VDC
Energy class	A+
Flux [lm]	280 lm
Light colour [K]	2200K
CRI	90+
Lifespan [h]	20,000 hr
Dimmable	yes
Dimensions h x w [mm]	100 x 45 mm




Product ID: CM5563

CEILING CANOPY


Dimensions \varnothing x w [in/mm]	2.25" x 2" / 60 x 55 mm
Weight [kg]	0.15 kg
Material	wood



Drawing



Canopy bracket



PRODUCT DETAILS

Glass Colour

Transparent glass	CGC23
Smoke grey - transparent glass	CGC516
Smoke brown - transparent glass	CGC538
Opaline - transparent glass	CGC38
Triplex opal	CGC39
Amber - transparent glass	CGC515
Cognac - transparent glass	CGC540
Violet - transparent glass	CGC554

Glass Surface

Glossy Finish	CGSU66
---------------	--------

Body Finishes

European oak - untreated	CCS657
European oak - clear coat	CCS972
European oak - natural waxed	CCS518
European oak - stained black	CCS592
European oak - stained white	CCS680
American walnut - natural waxed	CCS757

Canopy Finishes

European oak - untreated	CCSC840
European oak - clear coat	CCSC976
European oak - natural waxed	CCSC841
European oak - stained black	CCSC839
European oak - stained white	CCSC838
American walnut - natural waxed	CCSC842

Cable Colour

Textile cable - Black	CECL519
Textile cable - White	CECL521
Textile cable - Light grey	CECL1918
Textile cable - Dark grey	CECL520
Textile cable - Red	CECL530
Textile cable - Yellow	CECL606

Connection method

Brokis connector	CCM1019
------------------	---------

Recommended Bulbs

230V, LED, E27, 6W, 2200K, 350lm, RA90, 360°, DIM	CEB784
230V, LED, E14, 4.7W, 2200K, 280lm, RA90, 360°, DIM	CEB781